

This Page Is Inserted by IFW Operations  
and is not a part of the Official Record

## **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning documents *will not* correct images,  
please do not report the images to the  
Image Problem Mailbox.**



## INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

<b>(51) International Patent Classification:</b> <b>C11D 1/94, 1/83</b>	<b>A1</b>	<b>(11) International Publication Number:</b> <b>WO 96/24655</b> <b>(43) International Publication Date:</b> 15 August 1996 (15.08.96)
<b>(21) International Application Number:</b> PCT/EP96/00266 <b>(22) International Filing Date:</b> 16 January 1996 (16.01.96) <b>(30) Priority Data:</b> 9502494.9      9 February 1995 (09.02.95)      GB <b>(71) Applicant (for AU BB CA GB IE KE LK LS MN MW NZ SD SG SZ TT UG only):</b> UNILEVER PLC [GB/GB]; Unilever House, Blackfriars, London EC4P 4BQ (GB). <b>(71) Applicant (for all designated States except AU BB CA GB IE KE LK LS MN MW NZ SD SG SZ TT UG):</b> UNILEVER N.V. [NL/NL]; Weena 455, NL-3013 AL Rotterdam (NL). <b>(72) Inventors:</b> BOLZONI, Giuseppe; Via G. Verdi, I-20070 San Rocco Al Porto (IT). BUTTERWORTH, Robert, Michael; 14 Thornton Road, Bebington, Wirral, Merseyside L63 5PS (GB). <b>(74) Agent:</b> ELLIOTT, Peter, William; Unilever plc, Patent Division, Colworth House, Sharnbrook, Bedford MK44 1LQ (GB).		<b>(81) Designated States:</b> AL, AM, AT, AU, AZ, BB, BG, BR, BY, CA, CH, CN, CZ, DE, DK, EE, ES, FI, GB, GE, HU, IS, JP, KE, KG, KP, KR, KZ, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, TJ, TM, TR, TT, UA, UG, UZ, VN, ARIPO patent (KE, LS, MW, SD, SZ, UG), Eurasian patent (AZ, BY, KG, KZ, RU, TJ, TM), European patent (AT, BE, CH, DE, DK, ES, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG).  <b>Published</b> <i>With international search report.          Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.</i>
<b>(54) Title:</b> LIGHT DUTY CLEANING COMPOSITIONS <b>(57) Abstract</b> <p>The invention provides an aqueous, light duty cleaning composition comprising: a) 10-30 % wt in total of alkyl ether sulphate and alkyl sulphate; b) at least 1 % wt alcohol ethoxylate, wherein the weight ratio of the total of alkyl ether sulphate and alkyl sulphate (a) to alcohol ethoxylate in the composition is at least 3:1 and not more than 10:1; c) at least 1.5 % wt of at least one amphoteric surfactant, wherein the weight ratio of the total of alkyl ether sulphate and alkyl ether sulphate (a) to said amphoteric is &gt;3:1 and not more than 10:1; d) at least 0.5 % wt of a water-soluble magnesium salt, and; e) less than 4 % ethanol, wherein the level of alkyl benzene sulphonate in the composition is such that the weight ratio of the total of alkyl ether sulphate and alkyl sulphate (a) to alkyl benzene sulphonate is greater than 4:1.</p>		

**FOR THE PURPOSES OF INFORMATION ONLY**

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AM	Armenia	GB	United Kingdom	MW	Malawi
AT	Austria	GE	Georgia	MX	Mexico
AU	Australia	GN	Guinea	NE	Niger
BB	Barbados	GR	Greece	NL	Netherlands
BE	Belgium	HU	Hungary	NO	Norway
BF	Burkina Faso	IE	Ireland	NZ	New Zealand
BG	Bulgaria	IT	Italy	PL	Poland
BJ	Benin	JP	Japan	PT	Portugal
BR	Brazil	KE	Kenya	RO	Romania
BY	Belarus	KG	Kyrgyzstan	RU	Russian Federation
CA	Canada	KP	Democratic People's Republic of Korea	SD	Sudan
CF	Central African Republic	KR	Republic of Korea	SE	Sweden
CG	Congo	KZ	Kazakhstan	SG	Singapore
CH	Switzerland	LJ	Liechtenstein	SI	Slovenia
CI	Côte d'Ivoire	LK	Sri Lanka	SK	Slovakia
CM	Cameroon	LR	Liberia	SN	Senegal
CN	China	LT	Lithuania	SZ	Swaziland
CS	Czechoslovakia	LU	Luxembourg	TD	Chad
CZ	Czech Republic	LV	Latvia	TG	Togo
DE	Germany	MC	Monaco	TJ	Tajikistan
DK	Denmark	MD	Republic of Moldova	TT	Trinidad and Tobago
EE	Estonia	MG	Madagascar	UA	Ukraine
ES	Spain	ML	Mali	UG	Uganda
FI	Finland	MN	Mongolia	US	United States of America
FR	France	MR	Mauritania	UZ	Uzbekistan
GA	Gabon			VN	Viet Nam

- 1 -

**LIGHT DUTY CLEANING COMPOSITIONS****5      Technical Field**

The present invention relates to light duty cleaning compositions. Such compositions find particular utility in hand dishwashing processes.

10

**Background to the Invention**

15      It is well known to formulate light duty cleaning compositions, suitable for use as dishwashing compositions, with alkyl ether sulphate and other anionic surfactants, magnesium, nonionic surfactants and zwitterionic surfactants.

20      EP 0181212 (P&G: 1985) discloses a liquid detergent composition which comprises 4-20% of alkyl sulphate, 5-24% alkyl ether sulphate and 5-20% alkyl benzene sulphonate as the anionic surfactants, magnesium ions, 1-10% of an ethoxylated alcohol nonionic surfactant and 0.25-10%wt of  
25      a betaine.

Alkyl sulphate will be present in alkyl ether sulphate as obtained from commercial sources. Typical levels of alkyl sulphate in alkyl ether sulphate (3EO) are generally 15-  
30      20%, whereas higher ethoxylates contain less alkyl sulphate. Commercially available alkyl ether sulphate (1EO) comprises some 38-44% alkyl sulphate. Thus, in the above-mentioned document the anionic surfactant can be  
35      viewed as a mixture of the alkyl benzene sulphonate and an alkyl ether sulphate prepared with low levels of ethoxylation in a typical ratio of at least 1:5.

- 2 -

In the above-mentioned patent, a poor product is said to be obtained if alkyl benzene sulphonate is eliminated from the formulation. However, in recent years alkyl benzene sulphonate has come under increasing environmental  
5 pressure and it is often desirable to remove it from products.

#### Brief Description of the Invention

10

We have now determined that acceptable light duty cleaning formulations, particularly suitable for hand-dishwashing, can prepared without or with low levels of alkyl benzene sulphonate and with low levels of alcohol.

15

#### Detailed Description of the Invention

Accordingly, the present invention provides an aqueous,  
20 light duty cleaning composition comprising:

- a) 10-30%wt in total of alkyl ether sulphate and alkyl sulphate,
- 25 b) at least 1%wt alcohol ethoxylate, wherein the weight ratio of the total of alkyl ether sulphate and alkyl sulphate (a) to alcohol ethoxylate in the composition is at least 3:1 and not more than 10:1,
- 30 c) at least 1.5%wt of at least one amphoteric surfactant, wherein the weight ratio of the total of alkyl ether sulphate and alkyl ether sulphate (a) to said amphoteric is >3:1 and not more than 10:1,
- 35 d) at least 0.5%wt of a water-soluble magnesium salt,

- 3 -

e) less than 4% ethanol,

5 wherein the level of alkyl benzene sulphonate in the composition is such that the weight ratio of the total of alkyl ether sulphate and alkyl sulphate (a) to alkyl benzene sulphonate is greater than 4:1.

10 Typically, the total of alkyl sulphate and alkyl ether sulphate (a) has an average ethoxylation value of less than 2. Suitable average alkyl chain lengths are C<sub>8</sub>-C<sub>16</sub>, with lauryl being particularly preferred.

15 Preferably, the alcohol ethoxylate (b) has a calculated HLB of 10-20. Suitable alkyl chain lengths range from C<sub>8</sub>-C<sub>16</sub> with C<sub>10</sub>-C<sub>14</sub> being particularly preferred. The preferred degree of ethoxylation is such that the EO value is above 5, more preferably 7-15, most preferably 10.

20 Preferably, the amphoteric (c) is selected from the group comprising amine oxide, betaines and mixtures thereof. Amido propyl betaines are particularly preferred. Typical levels of betaine range from 1-5%wt. It is preferred that the overall level of amphoteric is above 1.5%wt.

25 Typical magnesium sources include sulphates at levels of 0.5-3%.

30 Typical ethanol levels are such that the composition comprises not more than 2%wt ethanol. Preferably the compositions, particularly those having less than 20% total anionic surfactant present, are essentially free of ethanol. In concentrated compositions ethanol levels of around 1%wt are preferred.

35 Compositions according to the present invention conveniently comprise 0.5-3%wt of an C<sub>8</sub>-C<sub>14</sub> alkyl

- 4 -

monoethanolamide, more preferably 0.9-2.0%wt of lauryl monoethanolamide.

5 Other optional ingredients comprise 0.05-0.5% citric acid monohydrate as a buffer, 0.1-1%wt perfume and/or further minors selected from preservatives, lemon-juice and dyestuffs.

10 Particularly preferred compositions comprise 10-14%wt or 20-27%wt in total of alkyl ether sulphate or alkyl sulphate: the lower levels being used for dilute compositions and the higher levels being used for concentrates.

15 In one preferred set of compositions, the ratio of the total of the alkyl ether sulphate and alkyl sulphate to the betaine is 6-8:1, and the ratio of the alkyl ether sulphate and alkyl sulphate to the total ethoxylated nonionic surfactants present is also 6-8:1. In another  
20 preferred set of compositions the ratio of the total of the alkyl ether sulphate and alkyl sulphate to the betaine is 3-5:1 and the ratio of the total of the alkyl ether sulphate and alkyl sulphate to the total ethoxylated nonionic surfactants present is 2-4:1. It is preferable  
25 that these ratios hold true for the ratios of the total anionic actives to the betaine and the ethoxylated nonionics, i.e. the anionics comprise alkyl ether sulphate and alkyl sulphate substantially free of other anionic surfactant species.

30

In order that the present invention can be further understood it will be illustrated hereinafter by reference to examples.

35

- 5 -

**Examples**

Four compositions were prepared with formulations as shown in table 1 below. In the table AES is lauryl ether sulphate with an average degree of ethoxylation of 1, 5 Betaine is lauryl amido propyl betaine, LMEA is lauryl monoethanolamide, and Nonionic is C<sub>11/12/13</sub> alcohol ethoxylate 10EO. The minors were preservative, dyestuffs and lemon juice.

10



- 6 -

**TABLE 1**

	Example 1		Example 2	
	dilute	conc	dilute	conc
AES	13.3	26.6	10.3	20.6
Betaine	1.9	3.8	2.5	4.9
LMEA	1	2	0.9	3.8
Nonionic	1.8	3.6	3.3	6.6
Total (%AD)	18	36	17	35.9
Mg-sulphate (7H <sub>2</sub> O)	1	2	1	2
Ethanol	-	<1	-	<1
Perfume	0.3	0.5	0.3	0.5
Citric Acid	0.1	0.2	0.1	0.2
Minors	tr	tr	tr	tr
Water	-----to 100%-----			

These products were evaluated as hand dishwashing compositions and found to have acceptable cleaning and grease-cutting properties.

- 7 -

**CLAIMS**

- 1) Aqueous, light duty cleaning composition comprising:
- 5
- a) 10-30%wt in total of alkyl ether sulphate and alkyl sulphate,
- b) at least 1%wt alcohol ethoxylate, wherein the weight ratio of the total of alkyl ether sulphate and alkyl sulphate (a) to alcohol ethoxylate in the composition is at least 3:1 and not more than 10:1,
- 10
- c) at least 1.5%wt of at least one amphoteric surfactant, wherein the weight ratio of the total of alkyl ether sulphate and alkyl ether sulphate (a) to said amphoteric is >3:1 and not more than 10:1,
- 15
- d) at least 0.5%wt of a water soluble magnesium salt, and,
- 20
- e) less than 4% ethanol,
- 25
- wherein the level of alkyl benzene sulphonate in the composition is such that the weight ratio of the total of alkyl ether sulphate and alkyl sulphate (a) to alkyl benzene sulphonate is greater than 4:1.
- 30
- 2) Composition according to claim 1 wherein the total alkyl sulphate and alkyl ether sulphate (a) has an average ethoxylation value of less than 2.
- 35
- 3) Composition according to claim 1 wherein the alcohol ethoxylate (b) has a calculated HLB of 10-20.

- 8 -

- 4) Composition according to claim 1 wherein the amphoteric (c) is selected from the group comprising amine oxide, betaines and mixtures thereof.

## INTERNATIONAL SEARCH REPORT

International Application No

PCT/EP 96/00266

A. CLASSIFICATION OF SUBJECT MATTER  
IPC 6 C11D1/94 C11D1/83

According to International Patent Classification (IPC) or to both national classification and IPC

## B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 6 C11D

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

## C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	EP,A,0 181 212 (THE PROCTER & GAMBLE CO.) 14 May 1986 cited in the application see examples 2L,2M see claims	1-4
A	--- US,A,5 269 974 (OFOSU-ASANTE KOFI ) 14 December 1993 see column 4, line 45 - column 5, line 22 see column 10, line 10 - column 11, line 52 see example IIIC see claims -----	1-4

☐ Further documents are listed in the continuation of box C.☒ Patent family members are listed in annex.

## \* Special categories of cited documents:

- "A" document defining the general state of the art which is not considered to be of particular relevance
- "E" earlier document but published on or after the international filing date
- "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- "O" document referring to an oral disclosure, use, exhibition or other means
- "P" document published prior to the international filing date but later than the priority date claimed

- "T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
- "X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
- "Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art
- "A" document member of the same patent family

Date of the actual completion of the international search

24 May 1996

Date of mailing of the international search report

06-06-1996

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2  
NL - 2280 HV Rijswijk  
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,  
Fax (+31-70) 340-3016

Authorized officer

Serbetsoglou, A

# INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No  
PCT/EP 96/00266

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
EP-A-0181212	14-05-86	CA-A- 1245941	06-12-88
		DE-A- 3566126	15-12-88
		IE-B- 58219	11-08-93
		JP-B- 6089356	09-11-94
		JP-A- 61166895	28-07-86
		US-A- 4671894	09-06-87
-----			
US-A-5269974	14-12-93	CN-A- 1086843	18-05-94
		EP-A- 0658184	21-06-95
		WO-A- 9405752	17-03-94
-----			